

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1           Claim 1 (currently amended):       An openable/closable mobile communication device  
2       having a first display screen and a second display screen that differ in screen size, comprising:  
3           a storage unit operable to store data; and  
4           a display control unit operable to read the data stored in the storage unit and display the data  
5       on the first display screen with a device main body in an opened state, and read the same data and  
6       display the data on the second display screen with the device main body in a closed state, wherein  
7           when a size of an image being displayed on the first display screen is less than or equal to  
8       a size of the second display screen, the display control unit does not perform size-reduction  
9       processing on the image when displaying the image on the second display screen.

1           Claim 2 (original):    The mobile communication device of claim 1, wherein  
2           a screen size of the second display screen is smaller than a screen size of the first display  
3       screen.

1           Claim 3 (original):    The mobile communication device of claim 2, further comprising:  
2           a detection unit operable to detect whether the device main body is in the opened state or the  
3           closed state, wherein  
4           the display control unit includes a first storage subunit that corresponds to the screen size of  
5           the first display screen, and a second storage subunit that corresponds to the screen size of the second  
6           display screen,  
7           when a notification of the opened state is received from the detection unit, the display control  
8           unit reads, from the storage unit, a desired web page which is the data, develops the web page to the  
9           first storage subunit as bitmap data, and displays the bitmap data on the first display screen, and  
10          when a notification of the closed state is received from the detection unit, the display control  
11          unit reads the desired web page from the storage unit, develops the web page to the second storage  
12          subunit as bitmap data, and displays the bitmap data on the second display screen.

1           Claim 4 (original):    The mobile communication device of claim 3, wherein  
2           the display control unit sets a size of a character that is to be developed to the first storage  
3           subunit as bitmap data to a size specified by display information of the data stored in the storage unit,  
4           and changes a size of a character that is to be developed to the second storage subunit as bitmap data  
5           to a minimum size specified by the display information.

1           Claim 5 (original):   The mobile communication device of claim 4, wherein  
2           the size specified by the display information is one of 36x36 dot, 26x26 dot, 18x18 dot, and  
3           12x12 dot, and  
4           the minimum size is 12x12 dot.

1           Claim 6 (original):   The mobile communication device of claim 3, wherein  
2           when a size of an image to be developed to the second storage subunit as bitmap data is larger  
3           than a size of the second storage subunit, the display control unit reduces the image to a size that can  
4           be held in the second storage subunit.

1           Claim 7 (original):   The mobile communication device of claim 1, wherein  
2           the data stored in the storage unit is web page content of a website, the content being acquired  
3           via a public network.

1           Claim 8 (original):   The mobile communication device of claim 7, wherein  
2           a five-point contact key for specifying a link in data displayed on the second display screen  
3           is provided on a same surface as the second display screen.

1           Claim 9 (currently amended):       A screen switching method for an openable/closable  
2           mobile communication device having a first display screen and a second display screen that differ

in screen size, comprising:

a recording step of recording data; and

a display control step of reading the data recorded in the recording step and displaying the data on the first display screen with a device main body in an opened state, and reading the same data and displaying the data on the second display screen with the device main body in a closed state,

wherein

in the display control step, when a size of an image being displayed on the first display screen is less than or equal to a size of the second display screen, size-reduction processing is not performed on the image when displaying the image on the second display screen.

Claim 10 (new): An openable/closable mobile communication device having a first display screen and a second display screen that differ in screen size, comprising:

a storage unit operable to store data; and

a display control unit operable to read the data stored in the storage unit and display the data on the first display screen with a device main body in an opened state, and read the same data and display the data on the second display screen with the device main body in a closed state, wherein,

when a size of an image being displayed on the first display screen is less than or equal to a size of the second display screen, the display control unit displays the image on the second display screen at an original size of the image, and

when a size of an image being displayed on the first display screen is greater than a size of

11 the second display screen, the display control unit reduces the size of the image so as an entirety of  
12 the image can be displayed on the second display screen, and displays the reduced-size image on the  
13 second display screen.

1 Claim 11 (new): The openable/closable mobile communication device of claim 1, wherein  
2 the image has been generated based on the data stored in the storage unit and constitutes a  
3 portion of a display on the first display screen or on the second display screen.

\* \* \* \*